







VI-386HP

Item No	Tire Size	SW	AR	Rim	PR	LR	LI	SR	Rim	S.W.		O.D.		Max. Load				Max Pressure		Tread Depth		Weight		Road Condition	UTQG	Pattern	
										in	mm	in	mm	Single		Dual		psi	kpa	32nd	mm	lbs	kg				
														lbs	kg	lbs	kg										
1	HF-UHP235	215/60R16	215	60	16	-	-	95	V	6 1/2J	8,71	221	26,1616	664	1521	690	-	-	44	300	11	9	23,17	10,51	M+S	280 AA A	VI-386HP
2	HF-UHP236	215/60R17	215	60	17	-	-	96	H	6 1/2J	8,71	221	27,186	690	1565	710	-	-	44	300	11	9	25,05	11,36	M+S	280 AA A	VI-386HP
3	HF-UHP237	225/60R18	225	60	18	-	-	100	V	6 1/2J	8,98	228	28,6438	727	1764	800	-	-	44	300	11	9	27,94	12,68	M+S	280 AA A	VI-386HP
4	HF-UHP117	235/60R18	235	60	18	-	-	107	V	7J	9,45	240	29,09	739	1929	875	-	-	44	300	11	9	30,86	14,00	M+S	280 AA A	VI-386HP
5	HF-UHP238	245/60R18	245	60	18	-	-	105	V	7J	9,77	248	29,59	751	2040	925	-	-	44	300	11	9	31,39	14,24	M+S	280 AA A	VI-386HP
6	HF-UHP239	255/60R18	255	60	18	-	XL	112	V	7 1/2J	10,24	260	30,06	763	2469	1120	-	-	50	340	11	9	32,99	14,97	M+S	280 AA A	VI-386HP
7	HF-UHP115	215/55R18	215	55	18	-	XL	99	V	7J	8,90	226	27,28	693	1709	775	-	-	50	340	11	9	24,91	11,30	M+S	280 AA A	VI-386HP
8	HF-UHP116	225/55R18	225	55	18	-	-	98	V	7J	9,17	233	27,76	705	1653	750	-	-	44	300	11	9	26,01	11,80	M+S	280 AA A	VI-386HP
9	HF-UHP240	235/55R18	235	55	18	-	-	100	V	7 1/2J	9,65	245	28,17	715	1764	800	-	-	44	300	11	9	27,33	12,40	M+S	280 AA A	VI-386HP
10	HF-UHP241	255/55R18	255	55	18	-	XL	109	W	8J	10,44	265	29,04	737	2270	1030	-	-	50	340	11	9	31,32	14,21	M+S	280 AA A	VI-386HP
11	HF-UHP242	225/55R19	225	55	19	-	-	99	V	7J	9,18	233	28,80	731	1709	775	-	-	44	300	11	9	27,12	12,30	M+S	280 AA A	VI-386HP
12	HF-UHP243	235/55R19	235	55	19	-	XL	105	V	7 1/2J	9,65	245	29,20	741	2040	925	-	-	50	340	11	9	28,44	12,90	M+S	280 AA A	VI-386HP
13	HF-UHP244	245/55R19	245	55	19	-	-	103	V	7 1/2J	9,97	253	29,67	753	1929	875	-	-	44	300	11	9	30,51	13,84	M+S	280 AA A	VI-386HP
14	HF-UHP245	255/55R19	255	55	19	-	XL	111	V	8J	10,44	265	30,06	763	2403	1090	-	-	50	340	11	9	32,62	14,80	M+S	280 AA A	VI-386HP
15	HF-UHP114	255/50R19	255	50	19	-	XL	107	V	8J	10,43	265	29,09	739	2150	975	-	-	50	340	11	9	30,64	13,90	M+S	280 AA A	VI-386HP
16	HF-UHP246	225/45R19	225	45	19	-	XL	96	W	7 1/2J	8,87	225	26,99	685	1565	710	-	-	50	340	11	9	24,15	10,95	M+S	280 AA A	VI-386HP
17	HF-UHP247	235/45R19	235	45	19	-	XL	99	W	8J	9,30	236	27,38	695	1709	775	-	-	50	340	11	9	25,32	11,49	M+S	280 AA A	VI-386HP
18	HF-UHP248	285/45R19	285	45	19	-	XL	111	W	9 1/2J	11,23	285	29,12	739	2403	1090	-	-	50	340	11	9	32,94	14,94	M+S	280 AA A	VI-386HP
19	HF-UHP249	275/55R20	275	55	20	-	XL	117	V	8 1/2J	11,19	284	31,91	810	2835	1285	-	-	50	340	11	9	39,09	17,73	M+S	280 AA A	VI-386HP
20	HF-UHP250	265/50R20	265	50	20	-	XL	111	V	8 1/2J	10,91	277	30,50	774	2403	1090	-	-	50	340	11	9	33,69	15,28	M+S	280 AA A	VI-386HP
21	HF-UHP251	245/45R20	245	45	20	-	-	99	W	8J	9,57	243	28,68	728	1709	775	-	-	44	300	11	9	28,39	12,88	M+S	280 AA A	VI-386HP
22	HF-UHP252	255/45R20	255	45	20	-	XL	105	V	8 1/2J	10,05	255	29,08	738	2040	925	-	-	50	340	11	9	30,39	13,78	M+S	280 AA A	VI-386HP
23	HF-UHP253	255/50R20	255	50	20	-	XL	109	V	8J	10,46	265	30,08	764	2270	1030	-	-	50	340	11	9	32,14	14,59	M+S	280 AA A	VI-386HP
24	HF-UHP113	275/45R20	275	45	20	-	XL	110	V	9J	10,75	273	29,76	756	2337	1060	-	-	50	340	11	9	32,19	14,60	M+S	280 AA A	VI-386HP
25	HF-UHP254	275/40R20	275	40	20	-	XL	106	W	9 1/2J	10,95	278	28,6832	728	2094	950	-	-	50	340	11	9	31,52	14,30	M+S	280 AA A	VI-386HP
26	HF-UHP255	295/40R21	295	40	21	-	XL	111	W	10 1/2J	11,86	301	30,2986	769	2403	1090	-	-	50	340	11	9	35,16	15,95	M+S	280 AA A	VI-386HP
27	HF-UHP256	285/35R22	285	35	22	-	XL	106	V	10J	11,43	290	29,9046	759	2094	950	-	-	50	340	11	9	34,11	15,47	M+S	280 AA A	VI-386HP
28	HF-UHP257	305/40R22	305	40	22	-	XL	114	W	11J	12,33	313	31,6382	803	2601	1180	-	-	50	340	11	9	38,60	17,51	M+S	280 AA A	VI-386HP